



PHÄTTE ZEITEN STAGE-RIDER 2026

Hi!

Wir sind PHÄTTE ZEITEN und freuen uns, dass wir auf eurer Veranstaltung / in eurer Location spielen dürfen. Wir bringen deutschsprachige Pop-Rock-Songs aus eigener Schmiede mit.

Unser Set besteht aus Live-Instrumenten (Drums, Bass, Gitarren) und Backingtracks.

PHÄTTE ZEITEN sind laut!

BAND

Philipp: Gesang, Akustikgitarre, E-Gitarre
Marvin: Bass
Eileen: Drums, Backingtracks

CREW

5 Personen
(Foto & Video / Merch / Stagehands / Sound)

Ansprechpartner:

Wir bitten euch, bis spätestens eine Woche vor dem Event kurz telefonische Rücksprache mit unserem Tontechniker Mart Evermann (MFM Music & Light) zu halten.

Bei allen Fragen zu Technik und Sound bitte grundsätzlich an Mart Evermann wenden.

Technik & Sound

MFM Music & Light
Mart Evermann 01575-2057360
info@mfmmusic.de

Gitarre & Bass, Booking & Verträge

Marvin Mumm 0151-54020752
marvin@phaettezeiten.de

Grafiken, Merch, CREW

Philipp Göhring 0176-20361572
philipp@phaettezeiten.de

Drums

Eileen Göhring 0176-55608757
eileen@phaettezeiten.de



www.phaettezeiten.de

Aufbau und Soundcheck:

30 Min. oder nach Rücksprache. Über zusätzliche Stagehands freuen wir uns immer.

Bühnenanforderungen:

Grundsätzlich wettergeschützt, fester Untergrund, minimale Bühnenfläche 6x5m, Drumriser min 2x2m. Wir bringen ein 4x2m Backdrop (Bühnenbanner) mit. B1 Zertifikat vorhanden, siehe Seiten 4-5.

PA und Licht:

Wir haben keine eigene PA oder Lichtanlage. Licht und PA muss vorhanden sein (Ansonsten frühzeitige Rücksprache und gegen Aufpreis).

Mikrofone:

Wir bringen eigene Drum- und Gesangsmikrofone mit.

In-Ear-Monitoring:

Wir nutzen unser eigenes und unabhängiges In-Ear-System. Bühnenmonitore werden nicht benötigt.

Bühnentechnik, Sound

Wir bringen unser eigenes FOH-Team (meist 2 Tontechniker) und unser eigenes Mischpult (Allen & Heath SQ6) mit.

Rückfragen zu Technik und Sound bitte direkt an MFM Music & Light richten.

Wir verwenden ein Stage-Rack, über das wir alle Spuren über einen Splitter für die Stagebox / PA vor Ort ausgeben (siehe Tabelle). Alle Kabel sind beschriftet.

Unser Drumset ist bereits mikrofoniert und eingepegelt. Daher verwenden wir nur unser eigenes Schlagzeug (Ansonsten bitte frühzeitige Rücksprache!).

Bitte Stromversorgung (Schuko) wie im Stageplan. (siehe Seite 3) 

Sämtliche Frequenzbereiche während unserer Stagetime bitte freihalten! (siehe Seite 3)

Anforderungen FOH

- Wir nutzen unser eigenes Mischpult (Allen & Heath SQ6)
- Mindestens 1 Meter Platz im FOH für Tontechniker
- CAT-Leitung zum Pult mindestens CAT6, zweite CAT-Leitung (Redundanz)

Besonderheiten, Änderungen oder Fragen können mit uns vorab natürlich besprochen werden!

Bandmitglied	Instrument	Notiz
Philipp (Stage Right+Center)	Vocals, Akustikgitarre, E-Gitarre, Effektgerät	Kein Bühnenmonitor, Stromversorgung (Schuko)
Marvin (Stage Left)	Vocals, Bass, Bassverstärker, Effektgerät	Kein Bühnenmonitor, Stromversorgung (Schuko)
Eileen (Upstage Center)	Drums, Backingtracks	Kein Bühnenmonitor, Stromversorgung (Schuko) , Talkback Mic


Kanäle

CH	Instrument	Out	Senden an
1	Kick	XLR Kabelpeitsche 5 Meter	PA
2	Snare		
3	Side-Snare		
4	Tom 1		
5	Tom 2		
6	Overhead		
7	Backing L		
8	Backing R		
9	E-Drums		
10	Bass		
11	Akustikgitarre		
12	E-Gitarre		
13	Vocals Marvin		
14	Vocals Philipp		
15	-		
16	Talkback Mic		Kommunikation Drums mit FOH

Frequenzbereiche

Sämtliche Frequenzbereiche während unserer Stagetime bitte freihalten!

Instrument	Medium	Frequenz
Vocals Marvin	Sennheiser ew-D 835-S Q1-6	470.200
Vocals Philipp	Sennheiser ew-D 835-S Q1-6	480.400
In-Ear 1 Marvin	LD Systems MEI 1000 G2	829.150
In-Ear 2 Philipp	LD Systems MEI 1000 G2	823.150
In-Ear 3 Eileen	LD Systems MEI 1000 G2	863.100
In-Ear 4	LD Systems MEI 1000 G2	823.200
Bass Marvin	Shure BLX14 S8	827.450
E-Gitarre Philipp	Shure BLX14 S8	828.850





PAVUS, a.s.

AUTHORIZED BODY AB 216

NOTIFIED BODY 1391

CERTIFICATION BODY FOR PRODUCT CERTIFICATION No. 3041



Address:
Prosecká 412/74, 190 00 Prague 9 –
Prosek
Phone: 286 019 587, E-mail: mail@pavus.cz
http://www.pavus.cz

Branch:
Fire testing laboratory Veselí nad Lužnicí
Čtvrť J. Hybeše 879, 391 81 Veselí nad Lužnicí
Phone: 381 477 418, E-mail: veseli@pavus.cz

REACTION TO FIRE CLASSIFICATION REPORT

Object of classification: *Construction products excluding floorings and linear pipe thermal insulation products in accordance with EN 13501-1:2018, cl. 11*

Classification report No:

PK1-01-25-012-E-0

Type and product group names:

Textile Basic Display 210 FR

Sponsor:

Texo Trade Services B.V.
Oostbaan 601
2841 ML MOORDRECHT
The Netherlands

Prepared by:

PAVUS, a.s.
Accredited certification body for products certification No. 3041
– Accreditation issued by Czech Accreditation Institute,
Public Service Company,
– Certificate of Accreditation No. 16/2024
Prosecká 412/74
190 00 PRAHA 9
Order No. Z210240312

Date of issue:

2025-02-26

Copies in total:

2

Issue number:

1

Pages in total:

3

4. CLASSIFICATION AND FIELD OF APPLICATION

- 4.1. Reference of Classification
This classification has been carried out in accordance with EN 13501-1:2018.
- 4.2. Classification
The product *Basic Display 210 FR* in relation to its reaction to fire behaviour is classified:

Reaction to fire classification: B – s1, d0

- 4.3. Field of application
This classification applies for the following parameters of the product:
Product parameters noticed in the clause 2.2.
This classification applies for the following end-use applications:
Product end-use applications noticed in the clause 2.1.

5. LIMITATIONS

This classification is valid unless the conditions, under which it was issued, have been changed (i.e., until the materials used, the composition or design of the product or the technical regulations relating to the product change).
The sponsor may request the issuing authority to review the influence of changes on the classification validity.
This classification document does not represent type approval or certification of the product.

Elaborated by:

Pavla HEJINÁ
Fire testing laboratory

PAVUS, a.s.
Čert. J. Hybeš 879
391 81 Veselí nad Lužnicí
IČ: 60193174; DIČ: CZ60193174
(5)

Approved by:

Jan TRIPES-MBA



1. INTRODUCTION

- 1.1. This classification report defines the classification assigned to the product *Basic Display 210 FR* in accordance with the procedures given in EN 13501-1:2018.
- 1.2. This classification report consists of 3 pages and may only be used or reproduced in its entirety.

2. DETAILS OF CLASSIFIED PRODUCT

2.1. General

The product *Basic Display 210 FR* is made by the company *Texo Trade Services B.V.*, Oostbaan 601, 2841 ML MOORDRECHT, The Netherlands. It is a textile used as textile frames, banners.

2.2. Product description

Mass per unit area: 210 g/m²
Article no.: F926FR02
Thickness: 1.0 mm
Composition: 100 % polyester

3. REPORTS AND RESULTS IN SUPPORT OF THIS CLASSIFICATION

3.1. Reports

Name of Laboratory Address Accreditation No.	Name of sponsor	Report ref. No. Date of issue	Test method and date Field of application rules and date
PAVUS, a.s. Veselí nad Lužnicí ATL No. 1026	Texo Trade Services B.V. Oostbaan 601 2841 ML MOORDRECHT The Netherlands	Pr-25-1.040 2025-02-26	EN 13823:2020+A1:2022 EN 13238:2010
		Pr-25-1.041 2025-02-26	EN ISO 11925-2:2020 EN 13238:2010

3.2. Results

Test method	Parameter	No. Tests	Results	
			Continuous parameter - mean	Compliance with parameters
EN 13823+A1	FIGRA _{0,2M} (W/s)	3	0.0	≤ 120 (B)
	THR _{600s} (MJ)		0.2	≤ 7.5 (B)
	LFS < edge of specimen		-	yes (B)
	SMOGR _A (m ² /s ²)		0.0	≤ 30 (s1)
EN ISO 11925-2 Exposure = 30 s according to cl. 7.3.3.1	TSP _{600s} (m ²)	6	5.2	≤ 50 (s1)
	No flaming droplets/ particles		-	yes (d0)
	F _s ≤ 150 mm within 60 s		-	yes (B)
	No ignition of the filter paper		-	yes (d0)
EN ISO 11925-2 Exposure = 30 s according to cl. 7.3.3.2	F _s ≤ 150 mm within 60 s	6	-	yes (B)
	No ignition of the filter paper		-	yes (d0)